



RSH - Stähle

Legierungszuschläge gültig ab

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER GRADE	MARKET designation	semi- finished products	bars	wire rod	bright bars wire products	OPEN DIE FORGE
		Euro/ to	Euro/ to	Euro/ to	Euro/ to	Euro/ to
A101		2055	2260	2175	2525	3115
A120	1.4401	1945	2140	2060	2390	2950
A200	1.4404	1935	2135	2035	2370	2945
A200SH		2040	2245	2165	2510	3100
A202	~1.4445	2225	2445	2355	2735	3375
A220		2345	2575	2485	2880	3555
A220SC	1.4441	2375	2565	2480	2920	3540
A222	1.4404	2365	2600	2505	2905	3585
A300	1.4571	2015	2220	2115	2480	3060
A303		1905	2095	2020	2340	2890
A308		3385	3725	3590	4165	5140
A400		2540	2790	2690	3120	3855
A405		3215	3535	3410	3955	4880
A405RA		3060	3365	3245	3765	4645
A410		2235	2455	2370	2745	3390
A413		2215	2435	2350	2725	3360
A417	1.4429	2110	2320	2235	2595	3205
A500	1.4301	1190	1310	1265	1465	1810
A503		1415	1555	1500	1740	2145
A504		1235	1355	1310	1515	1875
A506		1195	1315	1270	1475	1815
A508		1210	1330	1280	1490	1835
A567SA		1485	1635	1575	1825	2255
A600		1360	1495	1440	1670	2060
A601		1445	1590	1535	1780	2195
A604SJ	1.4306	1370	1505	1450	1685	2080
A607	1.4307	1190	1310	1265	1465	1810
A610		1910	2100	2025	2350	2900
A611		2180	2395	2310	2680	3310
A700	1.4541	1400	1540	1485	1720	2125
A711		1375	1510	1455	1690	2085
A750	1.4546	1475	1605	1565	1825	2215
A750SA		1415	1540	1500	1750	2125
A750SO		1210	1335	1285	1490	1840
A753		1435	1580	1520	1765	2180
A759		1490	1640	1580	1830	2260
A760		1455	1605	1545	1790	2210
A900		1225	1350	1300	1505	1860
A901		1430	1575	1515	1760	2170
A903	1.4462	1520	1665	1620	1870	2300
A904		1500	1645	1565	1855	2270
A905		1235	1360	1310	1520	1875
A906	1.4462	1500	1650	1575	1845	2280
A910		1775	1955	1880	2185	2695
A911		1830	2010	1940	2250	2775
A911SA	1.4501	1650	1795	1740	2035	2480
A911SB		1790	1950	1895	2200	2690
A911SC		1790	1970	1900	2205	2720
A911SD		1790	1965	1895	2200	2715
A912		1910	2100	2025	2345	2895
A912SA		1870	2055	1980	2300	2840
A913	1.4410	1715	1885	1815	2105	2600
A922		1535	1690	1625	1890	2330
A924		1830	2010	1935	2250	2775
A926	1.4507	1765	1910	1820	2150	2640
A927		1845	2030	1955	2265	2800
A928	1.4501	1640	1820	1745	2050	2510
A952	1.4562	4945	5440	5245	6085	7510



RSH - Stähle

Legierungszuschläge gültig ab

1. Okt. 09

BÖHLER	MARKT	HALBZEUG	STAB	WALZDRAHT	BLANK	FREIFORM
Marke	Bezeichnung				STAHL	SCHMIEDESTK
BÖHLER	MARKET	semi- finished	bars	wire rod	bright bars	
GRADE	designation	products			wire products	OPEN DIE FORGE
		Euro/ to	Euro/ to	Euro/ to	Euro/ to	Euro/ to
A959		4315	4745	4575	5305	6550
A961		3845	4230	4075	4730	5835
A962	1.4539	3815	4145	3970	4665	5720
A962RA		3855	4240	4085	4740	5850
A962RC		3850	4235	4080	4735	5840
A965		3515	3865	3725	4320	5335
A965SA	1.4547	3515	3865	3725	4320	5335
A970		4240	4660	4490	5215	6435
A975		3930	4325	4165	4835	5965
H108		415	460	440	510	630
H160	1.4713	195	215	205	240	295
H300	1.4821	805	885	855	990	1220
H304		735	810	780	905	1120
H500	1.4876	3630	3995	3850	4465	5515
H500RB	1.4876	3650	4015	3870	4490	5540
H500SC		3585	3940	3800	4410	5440
H500SD		3590	3950	3805	4415	5450
H510	1.4853	4035	4440	4275	4965	6125
H514		3680	4050	3900	4525	5585
H520	1.4864	3895	4285	4130	4790	5910
H522SB	1.4845	2445	2690	2590	3005	3710
H525	1.4841	2465	2710	2575	3030	3740
H530	1.4864	3925	4315	4100	4825	5955
H535		2460	2705	2610	3025	3735
H540		2540	2795	2695	3125	3855
H541		2555	2810	2710	3145	3880
H550	1.4828	1655	1820	1750	2035	2510
H700	1.4718	275	305	290	340	420
H710	1.4731	440	490	465	535	675
H730	1.4747	490	540	520	605	745
H732	1.4732	490	540	520	605	745
H734	1.4748	755	795	765	895	1095
H800	1.4873	1170	1285	1240	1440	1775
H801SA		1135	1245	1200	1395	1720
H850	1.4871	720	790	755	885	1090
H854	1.4882	860	945	910	1030	1305
N100	1.4006	300	320	305	355	440
N100S1	1.4006	300	320	305	355	440
N100SA		265	295	285	330	405
N100SE		275	305	295	340	420
N108	1.4002	235	255	245	285	355
N114	1.4002	245	270	260	300	375
N200		665	730	705	820	1010
N245		715	785	760	880	1085
N310	1.4104	325	355	345	395	490
N318	1.4005	275	305	290	340	420
N320	1.4021	235	255	245	285	355
N335	1.4122	545	600	580	675	830
N350	1.2787	460	510	490	570	700
N351SB	1.4057	490	540	520	605	745
N352	1.4044	465	510	495	570	705
N352S1	1.4044	465	515	495	575	710
N352SA	1.4044	470	520	500	580	715
N360	1.4108	485	525	505	570	725
N400	1.4313	760	835	805	935	1155
N400SC	1.4313	765	800	770	900	1105
N400SG		735	810	780	905	1120
N403	1.4313	760	835	805	935	1155



RSH - Stähle

Legierungszuschläge gültig ab

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER GRADE	MARKET designation	semi- finished products	bars	wire rod	bright bars wire products	OPEN DIE FORGE
		Euro/ to	Euro/ to	Euro/ to	Euro/ to	Euro/ to
N404	1.4418	1065	1165	1120	1290	1605
N404SA	1.4418	1065	1165	1120	1290	1605
N404SB	1.4418	1065	1165	1120	1290	1605
N406SA		765	835	805	925	1150
N530	1.4028	230	250	245	280	350
N538SA	1.4117	355	390	375	435	540
N540	1.4034	235	255	245	285	355
N542	1.4031	235	255	250	285	355
N555	1.4110	385	420	405	470	580
N557	1.4122	565	615	595	690	850
N664		425	465	450	520	645
N679		495	545	525	610	755
N685	1.4112	505	555	535	620	765
N685SE	1.4112	520	575	555	640	790
N690	1.4528	395	415	380	420	570
N695	1.3544	385	425	410	475	585
N700	1.4542	835	915	885	1025	1265
N701	1.4545	920	970	925	1110	1335
N703		840	925	890	1035	1275
N708		1075	1185	1140	1325	1635
N709	1.4534	1515	1665	1605	1860	2300
N712	1.4542	835	915	885	1025	1265
N713		1350	1485	1430	1660	2050
N750	1.4564-1.4568	1025	1125	1085	1260	1555
P500	1.4565	2820	3100	3015	3525	4280
P501	1.3964	2630	2870	2765	3235	3960
P503		2620	2885	2780	3225	3980
P504	1.5832	1880	2065	1990	2310	2850
P505RA		2160	2375	2290	2660	3280
P506		1615	1780	1715	1990	2455
P508	1.3964	2655	2880	2760	3240	3975
P511		2265	2490	2400	2785	3435
P519		2030	2235	2150	2500	3080
P536	1.3965	850	935	905	1050	1295
P550	1.3817	190	210	200	235	290
P553	1.3949	610	670	645	750	925
P555		445	490	475	550	680
P556		595	655	630	730	900
P557		335	365	355	410	505
P558		970	1070	1030	1195	1475
P559	1.4456	725	795	765	890	1100
P560		530	585	560	650	805
P564	1.3820	555	610	590	685	845
P565		1075	1180	1140	1320	1630
P572	1.3805	170	185	180	210	260
P601	1.5662	1145	1260	1215	1405	1735
P802SA	1.3912	3805	4105	3955	4665	5665
P803		3845	4230	4075	4730	5840
P822	~1.3843	175	195	185	215	270
P900		125	140	135	155	190
R100	1.3505	145	160	155	175	220
R100SA	1.3505	145	160	155	175	220
R100SD	1.3505	145	160	155	180	220
R150		300	325	315	365	450
R250	1.3325	1095	1205	1160	1345	1665
R350		1470	1615	1555	1805	2230
T200	1.4943	3355	3625	3490	4095	5000
T200SE		3535	3890	3750	4350	5370



RSH - Stähle

Legierungszuschläge gültig ab

1. Okt. 09

BÖHLER	MARKT				BLANK	FREIFORM
Marke	Bezeichnung	HALBZEUG	STAB	WALZDRAHT	STAHL	SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		Euro/ to	Euro/ to	Euro/ to	Euro/ to	Euro/ to
T200SF		3635	4000	3855	4470	5520
T240	1.4962	1540	1695	1615	1895	2340
T249	1.4910	2115	2285	2190	2580	3150
T250	1.4988	2015	2215	2135	2480	3060
T262	1.4986	2390	2630	2530	2960	3625
T275	1.4961	1650	1815	1750	2030	2505
T504	AISI 422	480	525	505	585	725
T505SA		230	255	245	285	355
T505SC		450	495	475	555	685
T507		595	655	630	730	900
T510	1.4911	15	20	20	20	25
T514		205	230	220	255	315
T550	1.4923	500	550	530	615	755
T551	1.4938, 1.4939	850	935	905	1050	1295
T552	1.4933	855	945	910	1055	1300
T552S1	1.4933	855	945	910	1055	1300
T557	COST B	400	440	425	495	610
T559		430	470	455	525	650
T560		410	450	435	505	620
T560SA	1.4913	410	450	435	505	625
T560SB	AISI 403cb+	495	545	525	610	750
T560SD		435	475	460	535	660
T567	1.4903	455	500	480	560	690
T568	1.4938, 1.4939	850	935	900	1045	1290
T572		865	950	915	1065	1315
T602	1.4120	535	585	565	655	810
T608		370	405	390	455	560
T608SA		370	405	390	455	560
T651	1.4021	230	255	245	285	355
T652		305	335	325	375	465
T654		345	380	370	425	525
T655	1.4024	230	255	245	285	355
T655SC		315	345	335	385	480
T656	AISI 403cb	310	340	330	380	470
T658	1.4000	230	255	245	285	350
T658SA		275	305	290	340	420
T670	1.4594	1220	1340	1295	1500	1850
T671	AISI 450	1140	1255	1210	1405	1730
T671SA	AISI 450	1155	1270	1225	1420	1755
X369		415	455	440	510	625



Stainless-, acid- and heatresistant
STEELS

VALID WITH

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG semi- finished products	STAB bars	WALZDRAHT wire rod	BLANK STAHL bright bars wire products	FREIFORM SCHMIEDESTK OPEN DIE FORGE
GRADE	designation	GBP/ to	GBP/ to	GBP/ to	GBP/ to	GBP/ to
A101		1828	2010	1934	2246	2770
A120	1.4401	1730	1903	1832	2126	2624
A200	1.4404	1721	1899	1810	2108	2619
A200SH		1814	1997	1926	2232	2757
A202	~1.4445	1979	2175	2095	2433	3002
A220		2086	2290	2210	2561	3162
A220SC	1.4441	2112	2281	2206	2597	3148
A222	1.4404	2103	2312	2228	2584	3188
A300	1.4571	1792	1974	1881	2206	2722
A303		1694	1863	1797	2081	2570
A308		3011	3313	3193	3704	4572
A400		2259	2481	2392	2775	3429
A405		2859	3144	3033	3518	4340
A405RA		2722	2993	2886	3349	4131
A410		1988	2183	2108	2441	3015
A413		1970	2166	2090	2424	2988
A417	1.4429	1877	2063	1988	2308	2851
A500	1.4301	1058	1165	1125	1303	1610
A503		1259	1383	1334	1548	1908
A504		1098	1205	1165	1347	1668
A506		1063	1170	1130	1312	1614
A508		1076	1183	1138	1325	1632
A567SA		1321	1454	1401	1623	2006
A600		1210	1330	1281	1485	1832
A601		1285	1414	1365	1583	1952
A604SJ	1.4306	1218	1339	1290	1499	1850
A607	1.4307	1058	1165	1125	1303	1610
A610		1699	1868	1801	2090	2579
A611		1939	2130	2055	2384	2944
A700	1.4541	1245	1370	1321	1530	1890
A711		1223	1343	1294	1503	1854
A750	1.4546	1312	1427	1392	1623	1970
A750SA		1259	1370	1334	1556	1890
A750SO		1076	1187	1143	1325	1636
A753		1276	1405	1352	1570	1939
A759		1325	1459	1405	1628	2010
A760		1294	1427	1374	1592	1966
A900		1090	1201	1156	1339	1654
A901		1272	1401	1347	1565	1930
A903	1.4462	1352	1481	1441	1663	2046
A904		1334	1463	1392	1650	2019
A905		1098	1210	1165	1352	1668
A906	1.4462	1334	1468	1401	1641	2028
A910		1579	1739	1672	1943	2397
A911		1628	1788	1725	2001	2468
A911SA	1.4501	1468	1596	1548	1810	2206
A911SB		1592	1734	1685	1957	2392
A911SC		1592	1752	1690	1961	2419
A911SD		1592	1748	1685	1957	2415
A912		1699	1868	1801	2086	2575
A912SA		1663	1828	1761	2046	2526
A913	1.4410	1525	1677	1614	1872	2312
A922		1365	1503	1445	1681	2072
A924		1628	1788	1721	2001	2468
A926	1.4507	1570	1699	1619	1912	2348
A927		1641	1805	1739	2014	2490
A928	1.4501	1459	1619	1552	1823	2232
A952	1.4562	4398	4838	4665	5412	6679



Stainless-, acid- and heatresistant
STEELS

VALID WITH

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		GBP/ to	GBP/ to	GBP/ to	GBP/ to	GBP/ to
A959		3838	4220	4069	4718	5826
A961		3420	3762	3624	4207	5190
A962	1.4539	3393	3687	3531	4149	5087
A962RA		3429	3771	3633	4216	5203
A962RC		3424	3767	3629	4211	5194
A965		3126	3438	3313	3842	4745
A965SA	1.4547	3126	3438	3313	3842	4745
A970		3771	4145	3993	4638	5723
A975		3495	3847	3704	4300	5305
H108		369	409	391	454	560
H160	1.4713	173	191	182	213	262
H300	1.4821	716	787	760	881	1085
H304		654	720	694	805	996
H500	1.4876	3229	3553	3424	3971	4905
H500RB	1.4876	3246	3571	3442	3993	4927
H500SC		3188	3504	3380	3922	4838
H500SD		3193	3513	3384	3927	4847
H510	1.4853	3589	3949	3802	4416	5448
H514		3273	3602	3469	4025	4967
H520	1.4864	3464	3811	3673	4260	5256
H522SB	1.4845	2175	2392	2304	2673	3300
H525	1.4841	2192	2410	2290	2695	3326
H530	1.4864	3491	3838	3647	4291	5296
H535		2188	2406	2321	2690	3322
H540		2259	2486	2397	2779	3429
H541		2272	2499	2410	2797	3451
H550	1.4828	1472	1619	1556	1810	2232
H700	1.4718	245	271	258	302	374
H710	1.4731	391	436	414	476	600
H730	1.4747	436	480	462	538	663
H732	1.4732	436	480	462	538	663
H734	1.4748	671	707	680	796	974
H800	1.4873	1041	1143	1103	1281	1579
H801SA		1009	1107	1067	1241	1530
H850	1.4871	640	703	671	787	969
H854	1.4882	765	840	809	916	1161
N100	1.4006	267	285	271	316	391
N100S1	1.4006	267	285	271	316	391
N100SA		236	262	253	294	360
N100SE		245	271	262	302	374
N108	1.4002	209	227	218	253	316
N114	1.4002	218	240	231	267	334
N200		591	649	627	729	898
N245		636	698	676	783	965
N310	1.4104	289	316	307	351	436
N318	1.4005	245	271	258	302	374
N320	1.4021	209	227	218	253	316
N335	1.4122	485	534	516	600	738
N350	1.2787	409	454	436	507	623
N351SB	1.4057	436	480	462	538	663
N352	1.4044	414	454	440	507	627
N352S1	1.4044	414	458	440	511	631
N352SA	1.4044	418	462	445	516	636
N360	1.4108	431	467	449	507	645
N400	1.4313	676	743	716	832	1027
N400SC	1.4313	680	712	685	800	983
N400SG		654	720	694	805	996
N403	1.4313	676	743	716	832	1027



Stainless-, acid- and heatresistant
STEELS

VALID WITH

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		GBP/ to	GBP/ to	GBP/ to	GBP/ to	GBP/ to
N404	1.4418	947	1036	996	1147	1427
N404SA	1.4418	947	1036	996	1147	1427
N404SB	1.4418	947	1036	996	1147	1427
N406SA		680	743	716	823	1023
N530	1.4028	205	222	218	249	311
N538SA	1.4117	316	347	334	387	480
N540	1.4034	209	227	218	253	316
N542	1.4031	209	227	222	253	316
N555	1.4110	342	374	360	418	516
N557	1.4122	503	547	529	614	756
N664		378	414	400	462	574
N679		440	485	467	543	671
N685	1.4112	449	494	476	551	680
N685SE	1.4112	462	511	494	569	703
N690	1.4528	351	369	338	374	507
N695	1.3544	342	378	365	422	520
N700	1.4542	743	814	787	912	1125
N701	1.4545	818	863	823	987	1187
N703		747	823	792	921	1134
N708		956	1054	1014	1178	1454
N709	1.4534	1347	1481	1427	1654	2046
N712	1.4542	743	814	787	912	1125
N713		1201	1321	1272	1476	1823
N750	1.4564-1.4568	912	1001	965	1121	1383
P500	1.4565	2508	2757	2682	3135	3807
P501	1.3964	2339	2553	2459	2877	3522
P503		2330	2566	2473	2868	3540
P504	1.5832	1672	1837	1770	2055	2535
P505RA		1921	2112	2037	2366	2917
P506		1436	1583	1525	1770	2183
P508	1.3964	2361	2561	2455	2882	3535
P511		2014	2215	2135	2477	3055
P519		1805	1988	1912	2224	2739
P536	1.3965	756	832	805	934	1152
P550	1.3817	169	187	178	209	258
P553	1.3949	543	596	574	667	823
P555		396	436	422	489	605
P556		529	583	560	649	800
P557		298	325	316	365	449
P558		863	952	916	1063	1312
P559	1.4456	645	707	680	792	978
P560		471	520	498	578	716
P564	1.3820	494	543	525	609	752
P565		956	1049	1014	1174	1450
P572	1.3805	151	165	160	187	231
P601	1.5662	1018	1121	1081	1250	1543
P802SA	1.3912	3384	3651	3518	4149	5038
P803		3420	3762	3624	4207	5194
P822	~1.3843	156	173	165	191	240
P900		111	125	120	138	169
R100	1.3505	129	142	138	156	196
R100SA	1.3505	129	142	138	156	196
R100SD	1.3505	129	142	138	160	196
R150		267	289	280	325	400
R250	1.3325	974	1072	1032	1196	1481
R350		1307	1436	1383	1605	1983
T200	1.4943	2984	3224	3104	3642	4447
T200SE		3144	3460	3335	3869	4776



Stainless-, acid- and heatresistant
STEELS

VALID WITH

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		GBP/ to	GBP/ to	GBP/ to	GBP/ to	GBP/ to
T200SF		3233	3558	3429	3976	4909
T240	1.4962	1370	1508	1436	1685	2081
T249	1.4910	1881	2032	1948	2295	2802
T250	1.4988	1792	1970	1899	2206	2722
T262	1.4986	2126	2339	2250	2633	3224
T275	1.4961	1468	1614	1556	1805	2228
T504	AISI 422	427	467	449	520	645
T505SA		205	227	218	253	316
T505SC		400	440	422	494	609
T507		529	583	560	649	800
T510	1.4911	13	18	18	18	22
T514		182	205	196	227	280
T550	1.4923	445	489	471	547	671
T551	1.4938, 1.4939	756	832	805	934	1152
T552	1.4933	760	840	809	938	1156
T552S1	1.4933	760	840	809	938	1156
T557	COST B	356	391	378	440	543
T559		382	418	405	467	578
T560		365	400	387	449	551
T560SA	1.4913	365	400	387	449	556
T560SB	AISI 403cb+	440	485	467	543	667
T560SD		387	422	409	476	587
T567	1.4903	405	445	427	498	614
T568	1.4938, 1.4939	756	832	800	929	1147
T572		769	845	814	947	1170
T602	1.4120	476	520	503	583	720
T608		329	360	347	405	498
T608SA		329	360	347	405	498
T651	1.4021	205	227	218	253	316
T652		271	298	289	334	414
T654		307	338	329	378	467
T655	1.4024	205	227	218	253	316
T655SC		280	307	298	342	427
T656	AISI 403cb	276	302	294	338	418
T658	1.4000	205	227	218	253	311
T658SA		245	271	258	302	374
T670	1.4594	1085	1192	1152	1334	1645
T671	AISI 450	1014	1116	1076	1250	1539
T671SA	AISI 450	1027	1130	1090	1263	1561
X369		369	405	391	454	556



Stainless-, acid- and heatresistant
STEELS

VALID WITH

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		USD/ to	USD/ to	USD/ to	USD/ to	USD/ to
A101		2992	3290	3166	3676	4535
A120	1.4401	2832	3115	2999	3479	4295
A200	1.4404	2817	3108	2963	3450	4287
A200SH		2970	3268	3152	3654	4513
A202	~1.4445	3239	3559	3428	3982	4913
A220		3414	3749	3618	4193	5175
A220SC	1.4441	3458	3734	3610	4251	5154
A222	1.4404	3443	3785	3647	4229	5219
A300	1.4571	2933	3232	3079	3610	4455
A303		2773	3050	2941	3407	4207
A308		4928	5423	5226	6063	7483
A400		3698	4062	3916	4542	5612
A405		4680	5146	4964	5758	7104
A405RA		4455	4899	4724	5481	6762
A410		3254	3574	3450	3996	4935
A413		3225	3545	3421	3967	4891
A417	1.4429	3072	3377	3254	3778	4666
A500	1.4301	1732	1907	1842	2133	2635
A503		2060	2264	2184	2533	3123
A504		1798	1973	1907	2206	2730
A506		1740	1914	1849	2147	2642
A508		1762	1936	1863	2169	2671
A567SA		2162	2380	2293	2657	3283
A600		1980	2176	2096	2431	2999
A601		2104	2315	2235	2591	3195
A604SJ	1.4306	1994	2191	2111	2453	3028
A607	1.4307	1732	1907	1842	2133	2635
A610		2781	3057	2948	3421	4222
A611		3174	3487	3363	3902	4819
A700	1.4541	2038	2242	2162	2504	3094
A711		2002	2198	2118	2460	3035
A750	1.4546	2147	2337	2278	2657	3225
A750SA		2060	2242	2184	2548	3094
A750SO		1762	1943	1871	2169	2679
A753		2089	2300	2213	2569	3174
A759		2169	2388	2300	2664	3290
A760		2118	2337	2249	2606	3217
A900		1783	1965	1893	2191	2708
A901		2082	2293	2206	2562	3159
A903	1.4462	2213	2424	2358	2722	3348
A904		2184	2395	2278	2701	3305
A905		1798	1980	1907	2213	2730
A906	1.4462	2184	2402	2293	2686	3319
A910		2584	2846	2737	3181	3923
A911		2664	2926	2824	3276	4040
A911SA	1.4501	2402	2613	2533	2963	3610
A911SB		2606	2839	2759	3203	3916
A911SC		2606	2868	2766	3210	3960
A911SD		2606	2861	2759	3203	3952
A912		2781	3057	2948	3414	4215
A912SA		2722	2992	2882	3348	4134
A913	1.4410	2497	2744	2642	3064	3785
A922		2235	2460	2366	2751	3392
A924		2664	2926	2817	3276	4040
A926	1.4507	2569	2781	2650	3130	3843
A927		2686	2955	2846	3297	4076
A928	1.4501	2388	2650	2540	2984	3654
A952	1.4562	7199	7920	7636	8859	10933



Stainless-, acid- and heatresistant
STEELS

VALID WITH

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		USD/ to	USD/ to	USD/ to	USD/ to	USD/ to
A959		6282	6908	6660	7723	9535
A961		5598	6158	5932	6886	8495
A962	1.4539	5554	6034	5780	6791	8327
A962RA		5612	6173	5947	6900	8516
A962RC		5605	6165	5940	6893	8502
A965		5117	5627	5423	6289	7767
A965SA	1.4547	5117	5627	5423	6289	7767
A970		6173	6784	6537	7592	9368
A975		5721	6296	6063	7039	8684
H108		604	670	641	742	917
H160	1.4713	284	313	298	349	429
H300	1.4821	1172	1288	1245	1441	1776
H304		1070	1179	1136	1317	1630
H500	1.4876	5285	5816	5605	6500	8029
H500RB	1.4876	5314	5845	5634	6537	8065
H500SC		5219	5736	5532	6420	7920
H500SD		5226	5750	5539	6427	7934
H510	1.4853	5874	6464	6224	7228	8917
H514		5357	5896	5678	6587	8131
H520	1.4864	5670	6238	6012	6973	8604
H522SB	1.4845	3559	3916	3771	4375	5401
H525	1.4841	3589	3945	3749	4411	5445
H530	1.4864	5714	6282	5969	7024	8669
H535		3581	3938	3800	4404	5437
H540		3698	4069	3923	4549	5612
H541		3720	4091	3945	4578	5649
H550	1.4828	2409	2650	2548	2963	3654
H700	1.4718	400	444	422	495	611
H710	1.4731	641	713	677	779	983
H730	1.4747	713	786	757	881	1085
H732	1.4732	713	786	757	881	1085
H734	1.4748	1099	1157	1114	1303	1594
H800	1.4873	1703	1871	1805	2096	2584
H801SA		1652	1812	1747	2031	2504
H850	1.4871	1048	1150	1099	1288	1587
H854	1.4882	1252	1376	1325	1499	1900
N100	1.4006	437	466	444	517	641
N100S1	1.4006	437	466	444	517	641
N100SA		386	429	415	480	590
N100SE		400	444	429	495	611
N108	1.4002	342	371	357	415	517
N114	1.4002	357	393	379	437	546
N200		968	1063	1026	1194	1470
N245		1041	1143	1106	1281	1580
N310	1.4104	473	517	502	575	713
N318	1.4005	400	444	422	495	611
N320	1.4021	342	371	357	415	517
N335	1.4122	793	873	844	983	1208
N350	1.2787	670	742	713	830	1019
N351SB	1.4057	713	786	757	881	1085
N352	1.4044	677	742	721	830	1026
N352S1	1.4044	677	750	721	837	1034
N352SA	1.4044	684	757	728	844	1041
N360	1.4108	706	764	735	830	1055
N400	1.4313	1106	1216	1172	1361	1681
N400SC	1.4313	1114	1165	1121	1310	1609
N400SG		1070	1179	1136	1317	1630
N403	1.4313	1106	1216	1172	1361	1681



Stainless-, acid- and heatresistant
STEELS

VALID WITH

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		USD/ to	USD/ to	USD/ to	USD/ to	USD/ to
N404	1.4418	1550	1696	1630	1878	2337
N404SA	1.4418	1550	1696	1630	1878	2337
N404SB	1.4418	1550	1696	1630	1878	2337
N406SA		1114	1216	1172	1347	1674
N530	1.4028	335	364	357	408	510
N538SA	1.4117	517	568	546	633	786
N540	1.4034	342	371	357	415	517
N542	1.4031	342	371	364	415	517
N555	1.4110	560	611	590	684	844
N557	1.4122	823	895	866	1005	1237
N664		619	677	655	757	939
N679		721	793	764	888	1099
N685	1.4112	735	808	779	903	1114
N685SE	1.4112	757	837	808	932	1150
N690	1.4528	575	604	553	611	830
N695	1.3544	560	619	597	692	852
N700	1.4542	1216	1332	1288	1492	1842
N701	1.4545	1339	1412	1347	1616	1943
N703		1223	1347	1296	1507	1856
N708		1565	1725	1660	1929	2380
N709	1.4534	2206	2424	2337	2708	3348
N712	1.4542	1216	1332	1288	1492	1842
N713		1965	2162	2082	2417	2984
N750	1.4564-1.4568	1492	1638	1580	1834	2264
P500	1.4565	4105	4513	4389	5132	6231
P501	1.3964	3829	4178	4025	4710	5765
P503		3814	4200	4047	4695	5794
P504	1.5832	2737	3006	2897	3363	4149
P505RA		3145	3458	3334	3872	4775
P506		2351	2591	2497	2897	3574
P508	1.3964	3865	4193	4018	4717	5787
P511		3297	3625	3494	4054	5001
P519		2955	3254	3130	3640	4484
P536	1.3965	1237	1361	1317	1529	1885
P550	1.3817	277	306	291	342	422
P553	1.3949	888	975	939	1092	1347
P555		648	713	692	801	990
P556		866	954	917	1063	1310
P557		488	531	517	597	735
P558		1412	1558	1499	1740	2147
P559	1.4456	1055	1157	1114	1296	1601
P560		772	852	815	946	1172
P564	1.3820	808	888	859	997	1230
P565		1565	1718	1660	1922	2373
P572	1.3805	247	269	262	306	379
P601	1.5662	1667	1834	1769	2045	2526
P802SA	1.3912	5539	5976	5758	6791	8247
P803		5598	6158	5932	6886	8502
P822	~1.3843	255	284	269	313	393
P900		182	204	197	226	277
R100	1.3505	211	233	226	255	320
R100SA	1.3505	211	233	226	255	320
R100SD	1.3505	211	233	226	262	320
R150		437	473	459	531	655
R250	1.3325	1594	1754	1689	1958	2424
R350		2140	2351	2264	2628	3246
T200	1.4943	4884	5277	5081	5962	7279
T200SE		5146	5663	5459	6333	7818



Stainless-, acid- and heatresistant
STEELS

VALID WITH

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		USD/ to	USD/ to	USD/ to	USD/ to	USD/ to
T200SF		5292	5823	5612	6507	8036
T240	1.4962	2242	2468	2351	2759	3407
T249	1.4910	3079	3327	3188	3756	4586
T250	1.4988	2933	3225	3108	3610	4455
T262	1.4986	3479	3829	3683	4309	5277
T275	1.4961	2402	2642	2548	2955	3647
T504	AISI 422	699	764	735	852	1055
T505SA		335	371	357	415	517
T505SC		655	721	692	808	997
T507		866	954	917	1063	1310
T510	1.4911	22	29	29	29	36
T514		298	335	320	371	459
T550	1.4923	728	801	772	895	1099
T551	1.4938, 1.4939	1237	1361	1317	1529	1885
T552	1.4933	1245	1376	1325	1536	1893
T552S1	1.4933	1245	1376	1325	1536	1893
T557	COST B	582	641	619	721	888
T559		626	684	662	764	946
T560		597	655	633	735	903
T560SA	1.4913	597	655	633	735	910
T560SB	AISI 403cb+	721	793	764	888	1092
T560SD		633	692	670	779	961
T567	1.4903	662	728	699	815	1005
T568	1.4938, 1.4939	1237	1361	1310	1521	1878
T572		1259	1383	1332	1550	1914
T602	1.4120	779	852	823	954	1179
T608		539	590	568	662	815
T608SA		539	590	568	662	815
T651	1.4021	335	371	357	415	517
T652		444	488	473	546	677
T654		502	553	539	619	764
T655	1.4024	335	371	357	415	517
T655SC		459	502	488	560	699
T656	AISI 403cb	451	495	480	553	684
T658	1.4000	335	371	357	415	510
T658SA		400	444	422	495	611
T670	1.4594	1776	1951	1885	2184	2693
T671	AISI 450	1660	1827	1762	2045	2519
T671SA	AISI 450	1681	1849	1783	2067	2555
X369		604	662	641	742	910



RSH - Stähle

Legierungszuschläge gültig ab

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG	STAB	WALZDRAHT	BLANK STAHL	FREIFORM SCHMIEDESTK
BÖHLER GRADE	MARKET designation	semi- finished products	bars	wire rod	bright bars wire products	OPEN DIE FORGE
		SFR/ to	SFR/ to	SFR/ to	SFR/ to	SFR/ to
A101		3114	3424	3296	3826	4720
A120	1.4401	2947	3243	3121	3621	4470
A200	1.4404	2932	3235	3083	3591	4462
A200SH		3091	3402	3280	3803	4697
A202	~1.4445	3371	3705	3568	4144	5114
A220		3553	3902	3765	4364	5387
A220SC	1.4441	3599	3886	3758	4424	5364
A222	1.4404	3583	3940	3796	4402	5432
A300	1.4571	3053	3364	3205	3758	4637
A303		2886	3174	3061	3546	4379
A308		5129	5644	5440	6311	7788
A400		3849	4227	4076	4727	5841
A405		4871	5356	5167	5993	7394
A405RA		4637	5099	4917	5705	7038
A410		3386	3720	3591	4159	5137
A413		3356	3690	3561	4129	5091
A417	1.4429	3197	3515	3386	3932	4856
A500	1.4301	1803	1985	1917	2220	2743
A503		2144	2356	2273	2636	3250
A504		1871	2053	1985	2296	2841
A506		1811	1992	1924	2235	2750
A508		1833	2015	1939	2258	2780
A567SA		2250	2477	2386	2765	3417
A600		2061	2265	2182	2530	3121
A601		2189	2409	2326	2697	3326
A604SJ	1.4306	2076	2280	2197	2553	3152
A607	1.4307	1803	1985	1917	2220	2743
A610		2894	3182	3068	3561	4394
A611		3303	3629	3500	4061	5015
A700	1.4541	2121	2333	2250	2606	3220
A711		2083	2288	2205	2561	3159
A750	1.4546	2235	2432	2371	2765	3356
A750SA		2144	2333	2273	2652	3220
A750SO		1833	2023	1947	2258	2788
A753		2174	2394	2303	2674	3303
A759		2258	2485	2394	2773	3424
A760		2205	2432	2341	2712	3349
A900		1856	2046	1970	2280	2818
A901		2167	2386	2296	2667	3288
A903	1.4462	2303	2523	2455	2833	3485
A904		2273	2493	2371	2811	3440
A905		1871	2061	1985	2303	2841
A906	1.4462	2273	2500	2386	2796	3455
A910		2689	2962	2849	3311	4083
A911		2773	3046	2939	3409	4205
A911SA	1.4501	2500	2720	2636	3083	3758
A911SB		2712	2955	2871	3333	4076
A911SC		2712	2985	2879	3341	4121
A911SD		2712	2977	2871	3333	4114
A912		2894	3182	3068	3553	4387
A912SA		2833	3114	3000	3485	4303
A913	1.4410	2599	2856	2750	3189	3940
A922		2326	2561	2462	2864	3530
A924		2773	3046	2932	3409	4205
A926	1.4507	2674	2894	2758	3258	4000
A927		2796	3076	2962	3432	4243
A928	1.4501	2485	2758	2644	3106	3803
A952	1.4562	7493	8243	7947	9220	11379



RSH - Stähle

Legierungszuschläge gültig ab

1. Okt. 09

BÖHLER	MARKT	HALBZEUG	STAB	WALZDRAHT	BLANK	FREIFORM
Marke	Bezeichnung				STAHL	SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		SFR/ to	SFR/ to	SFR/ to	SFR/ to	SFR/ to
A959		6538	7190	6932	8038	9925
A961		5826	6409	6174	7167	8841
A962	1.4539	5780	6281	6015	7068	8667
A962RA		5841	6424	6190	7182	8864
A962RC		5834	6417	6182	7174	8849
A965		5326	5856	5644	6546	8084
A965SA	1.4547	5326	5856	5644	6546	8084
A970		6424	7061	6803	7902	9750
A975		5955	6553	6311	7326	9038
H108		629	697	667	773	955
H160	1.4713	295	326	311	364	447
H300	1.4821	1220	1341	1295	1500	1849
H304		1114	1227	1182	1371	1697
H500	1.4876	5500	6053	5834	6765	8356
H500RB	1.4876	5530	6084	5864	6803	8394
H500SC		5432	5970	5758	6682	8243
H500SD		5440	5985	5765	6690	8258
H510	1.4853	6114	6727	6477	7523	9281
H514		5576	6137	5909	6856	8462
H520	1.4864	5902	6493	6258	7258	8955
H522SB	1.4845	3705	4076	3924	4553	5621
H525	1.4841	3735	4106	3902	4591	5667
H530	1.4864	5947	6538	6212	7311	9023
H535		3727	4099	3955	4583	5659
H540		3849	4235	4083	4735	5841
H541		3871	4258	4106	4765	5879
H550	1.4828	2508	2758	2652	3083	3803
H700	1.4718	417	462	439	515	636
H710	1.4731	667	742	705	811	1023
H730	1.4747	742	818	788	917	1129
H732	1.4732	742	818	788	917	1129
H734	1.4748	1144	1205	1159	1356	1659
H800	1.4873	1773	1947	1879	2182	2689
H801SA		1720	1886	1818	2114	2606
H850	1.4871	1091	1197	1144	1341	1652
H854	1.4882	1303	1432	1379	1561	1977
N100	1.4006	455	485	462	538	667
N100S1	1.4006	455	485	462	538	667
N100SA		402	447	432	500	614
N100SE		417	462	447	515	636
N108	1.4002	356	386	371	432	538
N114	1.4002	371	409	394	455	568
N200		1008	1106	1068	1242	1530
N245		1083	1189	1152	1333	1644
N310	1.4104	492	538	523	599	742
N318	1.4005	417	462	439	515	636
N320	1.4021	356	386	371	432	538
N335	1.4122	826	909	879	1023	1258
N350	1.2787	697	773	742	864	1061
N351SB	1.4057	742	818	788	917	1129
N352	1.4044	705	773	750	864	1068
N352S1	1.4044	705	780	750	871	1076
N352SA	1.4044	712	788	758	879	1083
N360	1.4108	735	795	765	864	1099
N400	1.4313	1152	1265	1220	1417	1750
N400SC	1.4313	1159	1212	1167	1364	1674
N400SG		1114	1227	1182	1371	1697
N403	1.4313	1152	1265	1220	1417	1750



RSH - Stähle

Legierungszuschläge gültig ab

1. Okt. 09

BÖHLER Marke	MARKT Bezeichnung	HALBZEUG semi- finished products	STAB bars	WALZDRAHT wire rod	BLANK STAHL bright bars wire products	FREIFORM SCHMIEDESTK OPEN DIE FORGE
BÖHLER GRADE	MARKET designation	SFR/ to	SFR/ to	SFR/ to	SFR/ to	SFR/ to
N404	1.4418	1614	1765	1697	1955	2432
N404SA	1.4418	1614	1765	1697	1955	2432
N404SB	1.4418	1614	1765	1697	1955	2432
N406SA		1159	1265	1220	1402	1742
N530	1.4028	348	379	371	424	530
N538SA	1.4117	538	591	568	659	818
N540	1.4034	356	386	371	432	538
N542	1.4031	356	386	379	432	538
N555	1.4110	583	636	614	712	879
N557	1.4122	856	932	902	1045	1288
N664		644	705	682	788	977
N679		750	826	795	924	1144
N685	1.4112	765	841	811	939	1159
N685SE	1.4112	788	871	841	970	1197
N690	1.4528	599	629	576	636	864
N695	1.3544	583	644	621	720	886
N700	1.4542	1265	1386	1341	1553	1917
N701	1.4545	1394	1470	1402	1682	2023
N703		1273	1402	1349	1568	1932
N708		1629	1796	1727	2008	2477
N709	1.4534	2296	2523	2432	2818	3485
N712	1.4542	1265	1386	1341	1553	1917
N713		2046	2250	2167	2515	3106
N750	1.4564-1.4568	1553	1705	1644	1909	2356
P500	1.4565	4273	4697	4568	5341	6485
P501	1.3964	3985	4349	4190	4902	6000
P503		3970	4371	4212	4887	6030
P504	1.5832	2849	3129	3015	3500	4318
P505RA		3273	3599	3470	4030	4970
P506		2447	2697	2599	3015	3720
P508	1.3964	4023	4364	4182	4909	6023
P511		3432	3773	3636	4220	5205
P519		3076	3386	3258	3788	4667
P536	1.3965	1288	1417	1371	1591	1962
P550	1.3817	288	318	303	356	439
P553	1.3949	924	1015	977	1136	1402
P555		674	742	720	833	1030
P556		902	992	955	1106	1364
P557		508	553	538	621	765
P558		1470	1621	1561	1811	2235
P559	1.4456	1099	1205	1159	1349	1667
P560		803	886	849	985	1220
P564	1.3820	841	924	894	1038	1280
P565		1629	1788	1727	2000	2470
P572	1.3805	258	280	273	318	394
P601	1.5662	1735	1909	1841	2129	2629
P802SA	1.3912	5765	6220	5993	7068	8584
P803		5826	6409	6174	7167	8849
P822	~1.3843	265	295	280	326	409
P900		189	212	205	235	288
R100	1.3505	220	242	235	265	333
R100SA	1.3505	220	242	235	265	333
R100SD	1.3505	220	242	235	273	333
R150		455	492	477	553	682
R250	1.3325	1659	1826	1758	2038	2523
R350		2227	2447	2356	2735	3379
T200	1.4943	5083	5493	5288	6205	7576
T200SE		5356	5894	5682	6591	8137



RSH - Stähle

Legierungszuschläge gültig ab

1. Okt. 09

BÖHLER	MARKT	HALBZEUG	STAB	WALZDRAHT	BLANK	FREIFORM
Marke	Bezeichnung				STAHL	SCHMIEDESTK
BÖHLER	MARKET	semi- finished			bright bars	
GRADE	designation	products	bars	wire rod	wire products	OPEN DIE FORGE
		SFR/ to	SFR/ to	SFR/ to	SFR/ to	SFR/ to
T200SF		5508	6061	5841	6773	8364
T240	1.4962	2333	2568	2447	2871	3546
T249	1.4910	3205	3462	3318	3909	4773
T250	1.4988	3053	3356	3235	3758	4637
T262	1.4986	3621	3985	3833	4485	5493
T275	1.4961	2500	2750	2652	3076	3796
T504	AISI 422	727	795	765	886	1099
T505SA		348	386	371	432	538
T505SC		682	750	720	841	1038
T507		902	992	955	1106	1364
T510	1.4911	23	30	30	30	38
T514		311	348	333	386	477
T550	1.4923	758	833	803	932	1144
T551	1.4938, 1.4939	1288	1417	1371	1591	1962
T552	1.4933	1295	1432	1379	1599	1970
T552S1	1.4933	1295	1432	1379	1599	1970
T557	COST B	606	667	644	750	924
T559		652	712	689	795	985
T560		621	682	659	765	939
T560SA	1.4913	621	682	659	765	947
T560SB	AISI 403cb+	750	826	795	924	1136
T560SD		659	720	697	811	1000
T567	1.4903	689	758	727	849	1045
T568	1.4938, 1.4939	1288	1417	1364	1583	1955
T572		1311	1439	1386	1614	1992
T602	1.4120	811	886	856	992	1227
T608		561	614	591	689	849
T608SA		561	614	591	689	849
T651	1.4021	348	386	371	432	538
T652		462	508	492	568	705
T654		523	576	561	644	795
T655	1.4024	348	386	371	432	538
T655SC		477	523	508	583	727
T656	AISI 403cb	470	515	500	576	712
T658	1.4000	348	386	371	432	530
T658SA		417	462	439	515	636
T670	1.4594	1849	2030	1962	2273	2803
T671	AISI 450	1727	1902	1833	2129	2621
T671SA	AISI 450	1750	1924	1856	2152	2659
X369		629	689	667	773	947